



Full More (Shanghai) Packaging Trading Co.,Ltd

Room 101, No.5 building, Lane659, Yin Xing Rd, Shanghai, China

TEL:+86-21-62367218、62367268 FAX:+86-21-62367278

Calpack™85 2 in 1 Seal & Shrink Machine

Function

1. **Semi-automatic shrink wrapping machine** can perform **Seal & Shrink** in one time.
2. **Semi-Automatic Shrink Wrap Machines** are commonly used for packing of irregular shape or relatively large product or smaller companies that do not require the **high-speed packaging** of their products.
3. The reason for different packing speed is due to the manual collating of the **POF shrink film** or products.
4. Digital temperature control can improve **shrink** and seal **machine** packing results.

Features

1. **Semi-Automatic Shrink Wrap Machines** with advanced microelectronics controller, so it's able to **shrink wrapping** product. It also has touch pad controls with digital display.
2. 3 operating modes-seal only, seal and shrink, seal then shrink
3. 16 program memories for storing operating parameters
4. Self-diagnostic function with alarms for troubles shooting
5. Product counter



Full More (Shanghai) Packaging Trading Co.,Ltd

Room 101, No.5 building, Lane659, Yin Xing Rd, Shanghai, China

TEL:+86-21-62367218、62367268 FAX:+86-21-62367278

6. Sealing time is adjustable and strong sealing line
7. Large sealing and packing area, Suitable for packing large products
8. CE Certification

Technical parameters

Technical parameters	
Type	CALPACK85
Speed of packing	6~8/min
Sealing Area	L x W: 860 x 600 mm
Max Product Dim	L x W x H: 800x580x300mm
Power	1 Ø 220v 50/60Hz
Heater	4.8kw
Net weight	185kg
Machine Dim	L x W x H:1870x950x1420mm
Warranty	12 months

* Note:

1. Maximum of all 3 dimensions is not possible. Please use due caution and consider sealing area, film type, film width
2. Speed depends on operator skill/training as well as on product size/product stability and film used.

Structure

1. The fuselage used the imported paint powder, advanced painting technology; the surface is not easy to wear
2. Working chamber is made of stainless steel structure
3. Bedplate of work, is very convenient to separate folded membrane
4. High quality Teflon material sealing cutter
5. Control panel is easy to operate
6. Stainless steel wipes clean interior
7. Powder coated frame
8. Magnetic hold down for shrinking

www.full-more.com



Full More (Shanghai) Packaging Trading Co.,Ltd

Room 101, No.5 building, Lane659, Yin Xing Rd, Shanghai, China

TEL:+86-21-62367218、62367268 FAX:+86-21-62367278

Working theory

Semi-Automatic Shrink Wrap Machine make packs with the film clinging to the product by sealing the heat **shrink film** over the product and then applying heated air around the pack to shrink the film (2 in 1 seal and shrink).

Semi-Automatic Shrink Wrap Machine can be used with a variety of **shrink films** with thickness of 15 microns to 75 microns. The film used must be centre-folded and can be pre-perforated. In case of non-perforated film, the machine is provided with perforator pin-wheels to make the air evacuation holes on the film during the packing process. The machine is capable of production speeds of up to about 360~560 packages per hour depending on the Proficiency of the operation and type of **plastic film** used but mostly it will use **POF shrink film** to meet the applications of packaging.

Advantages

Compact, Energy Efficient, and Versatile

1. Mobile **wrapping machine** with lockable castors
2. **2 in 1 Seal & Shrink Machine** works on single-phase power with low energy consumption

www.full-more.com



Full More (Shanghai) Packaging Trading Co.,Ltd

Room 101, No.5 building, Lane659, Yin Xing Rd, Shanghai, China

TEL:+86-21-62367218、 62367268 FAX:+86-21-62367278

3. Easy to **shrink and wrap** odd shapes with manual product

handling

4. Suitable for multi-packs with no product conveying

After Service

Operators training course---

We will send the check list and operation video to discuss on social

program to do operation training including-----

a) Machine start up

- i. Power supply check up
- ii. Pre-heat
- iii. Adjust temperature
- iv. Adjust sealing time
- v. Install film

b) Packing training

- i. Adjust film roller
- ii. Prevent packaging defects training,

c) Daily Maintenance

d) Monthly Maintenance

e) Basic repair

Troubles shooting training

1. we will send the check list and operation video to discuss on social program
2. We will send our experienced technicians to fix the problems but the accommodation and traveling fee will charge to our clients overseas.



Full More (Shanghai) Packaging Trading Co.,Ltd

Room 101, No.5 building, Lane659, Yin Xing Rd, Shanghai, China

TEL:+86-21-62367218、62367268 FAX:+86-21-62367278

Applications

Applications of our **Semi-Automatic Shrink Wrap Machine** and packing materials contain food, cosmetic, pharmacy, electronics, toys, detergents and mechanical industries etc for those who needs outstanding shrinkage, high transparency and good versatilities usage.



Packing for mechanical industries

www.full-more.com



Full More (Shanghai) Packaging Trading Co.,Ltd

Room 101, No.5 building, Lane 659, Yin Xing Rd, Shanghai, China

TEL: +86-21-62367218、62367268 FAX: +86-21-62367278



Packing for food



www.full-more.com



Full More (Shanghai) Packaging Trading Co.,Ltd

Room 101, No.5 building, Lane659, Yin Xing Rd, Shanghai, China

TEL:+86-21-62367218、 62367268 FAX:+86-21-62367278

Packing for cosmetic